

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/624,409	9 07/21/2003 Mario Punchard			6802
75	90 12/22/2004		EXAMINER	
Mario Punchard Unit # 205			HSIEH, SHIH YUNG	
13910 Old Harbor Ln			ART UNIT	PAPER NUMBER
Marina del Rey, CA 90292			2837	

DATE MAILED: 12/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/624,409	PUNCHARD, MARIO			
		Examiner	Art Unit			
		Shih-yung Hsieh	2837			
Period fo	The MAILING DATE of this communication apor Reply	pears on the cover sheet with the c	correspondence address			
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statuting received by the Office later than three months after the mailing a patent term adjustment. See 37 CFR 1.704(b).	.136(a). In no event, however, may a reply be tinous within the statutory minimum of thirty (30) day I will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	nely filed rs will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)	Responsive to communication(s) filed on	·				
		s action is non-final.				
3)[Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
5)□ 6)⊠ 7)□	Claim(s) <u>1-3</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed. Claim(s) <u>1-3</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/o	awn from consideration.				
Applicati	on Papers					
9)[The specification is objected to by the Examina	er.				
10)	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
	Applicant may not request that any objection to the		• •			
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the E					
Priority u	ınder 35 U.S.C. § 119					
12)[a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureatee the attached detailed Office action for a list	ts have been received. ts have been received in Applicationity documents have been received in (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment	• •					
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary				
3) 🔲 Inforn	e of Draitsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 'No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	ite atent Application (PTO-152)			

Application/Control Number: 10/624,409

Page 2

Art Unit: 2837

1. The drawings are objected to because each claimed element described in drawings should be numbered corresponding to the numerals following the claimed element described in the specification. See cited references for example. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

2. The disclosure is objected to because of the following informalities: each claimed should be provided with a numeral corresponding to the numerals assigned to the claimed element in the drawings. See cited references for example.

Appropriate correction is required.

Application/Control Number: 10/624,409 Page 3

Art Unit: 2837

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United

States.

4. Claims 2 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by Belli

(5,349,891).

Regarding claim 2, Belli discloses a drum tuning system that decreases the

amount of time and effort required to tune drums.

Applicant's claim 2 recites no structural limitations, therefore, any drum tuning

system can be claimed to decrease the amount of time and effort required to tune

drums.

Regarding claim 3, Belli discloses a drum tuning system comprised of a ring (18)

that sits lower on drum (Fig. 3 shows ring 18 sits lower on drum 16).

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains.

Patentability shall not be negatived by the manner in which the invention was made.

6. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Belli in view of Link et al. (DE3239329).

Regarding claim 1, Belli discloses a drum tuning system comprised of a metal ring (18) and clamp (14) except a toggle clamp.

Link et al. teach a drum tuning system having a toggle clamp (5 in Fig. 1) for providing a quick acting clamping and tuning system (Abstract).

It would have been obvious to one having ordinary skill in the art to modify Belli's system as taught by Link et al. to include a toggle clamp for the purpose of providing a quick acting clamping and tuning system.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shih-yung Hsieh whose telephone number is 571-272-2065. The examiner can normally be reached on 7:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on 571-272-2107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/624,409 Page 5

Art Unit: 2837

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

syh

SHIH-YUNG HSIEH PRIMARY EXAMINER